

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	25	("20040024762" "20020147813" "20020166049" "20020152254" "20020156879" "20020067856" "20020174238") ("6145003" "7107526" "7124354").pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/03 13:07
L2	25	1 and (@rlad < "20031009" or @ad < "20031009")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 13:08
S1	7	("6754670" or "20020120603" or "20030055826" "20030163460" "20030208505").pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 11:18
S2	1	"20020120603"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 11:18
S3	1	"20030055826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 11:17
S4	1	"20030163460"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 11:16
S5	1	"20030208505"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 11:16
S6	2	"O/R mapping" and (((translat\$5 or conver \$5) near2 (quer\$3 or data or object) and (relational database))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 11:49
S7	2	"5857197".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:45

S8	0	{logical adj1 object adj1 class adj1 format}	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:45
S9	0	("logical object class" near2 format)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:46
S10	0	("logical object class" near3 format)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:46
S11	0	{logical near2 "object class" near3 format}	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:46
S12	15	{logical near2 "object class"}and format	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:51
S13	565	translat\$4 near3 (data adj1 format)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:51
S14	2	{(translat\$4 near3 (data adj1 format)) and (mapping near2 schema)}	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:54
S15	0	{(translat\$4 near3 ((data adj1 format) with attribute)) and (mapping near2 schema)}	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:54
S16	0	{(translat\$4 near3 ((data adj1 format) with attribute)) and mapping}	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:54
S17	1	{(translat\$4 near3 ((data adj1 format) with attribute))}	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:56
S18	2	{"first data format"} with attribute	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:57

S19	15	((relational adj1 database\$1) near (data adj1 store\$1)) and (LDAP adj1 directory)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 00:08
S20	10	S19 and (@lad < "20031009" or @ad < "20031009")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 00:09
S21	0	(determin\$4 near (relational adj1 database) and (data adj1 stores)) and (LDAP adj1 directory)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 00:13
S22	262	((relational adj1 database) and (data adj1 stores)) and (LDAP adj1 directory)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 00:13
S23	38	S22 and ((data adj1 stores) near relational)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 00:14
S24	34	S23 and (@lad < "20031009" or @ad < "20031009")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 00:15
S25	34	S24 and (LDAP adj1 directory)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 00:15
S26	32	S25 and (mapping near relational)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 00:15
S27	0	S26 and ("O/R mapping")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 00:16
S28	1	"20050050030"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 13:07

S29	1	200040153435] 20030163461	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 13:10
S30	3	20040153435] 20030163461	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 13:11

6/ 3/ 2009 1:27:11 PM

C:\Documents and Settings\fsyed\ My Documents\ EAST\ Workspaces\ Docket10682252.  
wsp